

TOWER HILL

This point is situated about 17 feet from the end of an iron fence which forms the southern boundary of the Tower Hill Barracks. It is best reached by following the Tower Hill Road to a point which is exactly in line with the above mentioned fence. A cement concrete pillar numbered F.T.S. 181 marks the exact spot.

Co-ordinates

<u>Geographical</u>	<u>Colony.</u>
Lat.	660 534. 94 feet N.
Long.	54 376. 28 " E

---

KING TOM

This point is situated on a rock just overlooking the sea at the King Tom Police Barracks. A cement concrete pillar numbered F.T.S. 176 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	665 271. 02 feet N.
Long.	49 364. 05 " E.

---

WILBERFORCE LINES.

This point is situated in the W.D. Barracks at Wilberforce Village. A cement concrete pillar numbered F.T.S. 182 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	666 490. 21 feet N.
Long.	46 011. 18 " E.

---

WILBERFORCE EAST.

This point is situated in the compound of St. Pauls Church (Wilberforce Village) about 41' from the Church Building. A cement concrete pillar numbered C.C.S. 765 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	659 512.57 feet N.
Long.	44 467.53 " E.

---

LUMLEY ROAD.

This point is situated on a rock on the highest point of a hill commonly known as Wilberforce Spur, on which the S. B. Ollivan Bungalow stands, overlooking Cockerill Bay. A cement concrete pillar numbered C.C.S. 595 marks the exact spot.

Co-ordinates

<u>Geographical</u>	<u>Colony.</u>
Lat	657 415.70 feet N.
Long.	40 050.04 " E.



MURRAY TOWN POINT.

This point is situated on the highest rock at the lowest point of Murray Town Cliff, just near the low Water Mark and opposite a stonehouse overlooking the sea. A cement concrete pillar numbered C.C.S. 550 marks the exact spot.

Co-ordinates.

Geographical

Colony.

Lat.

666 569.57 feet N.

Long.

41 981.89 " E

---

FERRY SOUTH.

This point is situated on the right bank of Aberdeen Creek and just at the end of the road leading to the ferry about 26' from the edge of the swamp. A cement concrete pillar numbered C.C.S. 51 marks the exact spot.

Co-ordinates

Geographical

Colony.

Lat.

663 255.61 feet N.

Long.

39 957.81 " E

---

LIGHT HOUSE.

This point is situated North-west of Aberdeen Village, in the compound of the old Quarantine Station now occupied by the Admiralty. A cement concrete pillar numbered C.C.S. 34 marks the exact spot.

Co-ordinates.

Geographical

Colony.

Lat.

665 524. 04 feet N.

Long.

31 774. 39 " E

---

F. T. S. 676.

This is a major traverse point situated above the High Water Mark at Lumley Beach, just where the Motor Road curves to Aberdeen. A cement concrete pillar numbered F.T.S. 676 marks the exact spot.

Geographical

Colony.

Lat.

653 405.00 feet N.

Long.

38 001.10 " E

---

Signal Hill.

This point is situated in the compound of the W.D. Barracks at Signal Hill. A cement concrete pillar numbered C.C.S. 59 marks the exact spot.

Co-ordinates.

Geographical

Colony.

Lat

661 377.81 feet N.

Long.

42 922.24 " E



LUMLEY BEACH.

This point is situated near the High Water Mark at Lumley Beach and the Motor Road to Aberdeen, about midway between Freetown Golf Club House and the Admiralty compound at Light House Road. A cement concrete pillar numbered C.C.S. 52 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	657 137. 61 feet No.
Long.	36 954. 50 " E.

---

FERRY NORTH

This point is situated in the property at Aberdeen known as the "Lodge". It is about 350 feet east from of the road leading to the town from the ferry and about 150 feet from the High Water Mark. A cement concrete pillar numbered C.C.S. 50 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	664 864.76 feet N
Long.	39 184.83 " E

---

SOUTH END BASE.

This point is situated in the old Golf Course at Brookfields in Freetown, now occupied by the Admiralty. It is the southern end of the check base. A cement concrete pillar numbered F.T.S. 133 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	657 158. 24 feet N
Long.	50 186. 51 " E

---

NORTH END BASE.

This point is situated west of the Recreation grounds about 175' from the High Water Mark of the Congo River. It is the northern end of the Check Base. A cement concrete pillar numbered F.T.S. 134 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	660 164. 11 feet N
Long.	48 508. 44 " E

---

C. C. S. 535

This point is a major traverse point situated at Wilkinson Road near the W.D. Property at Cokerill Bay. A cement concrete pillar numbered C.C.S. 535 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	658 026. 98 feet N
Long.	39 187. 77 " E



MESS T. P.

This point is situated just back of the Officers Mess at the Wilberforce Barracks. A cement concrete pillar numbered C.C.S. 553 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	654 324. 91 feet N
Long.	44 415. 25 " E

---

C. C. S. 454.

This point is a major traverse point situated about 265 feet south-east of the W.D. Property at Lumley Beach Road. A cement concrete pillar numbered C.C.S. 454 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat	652 425. 40 feet N
Long.	39 901. 62 " E

---

MURRAY TOWN BATTERY(EAST)

This point is situated at the entrance to the Battery from Murray Town Village. A cement concrete pillar numbered C.C.S. 610 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony</u>
Lat.	664 605. 50 feet N
Long.	42 951. 92 " E

---

MURRAY TOWN BATTERY(WEST)

This point is situated in the southern part of the W.D. Barracks at Murray Town. A cement concrete pillar numbered C.C.S. 408 marks the exact spot.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat	663 562. 30 feet N
Long	41 655. 16 " E

---

ADDER HILL (C.C.S. 2040)

This point is situated on the summit of a range of hills which is due south of Golgotha; it is best reached by following a foot path at Gloucester Saddle the junction of which is on the Gloucester-Bathurst Road, for about  $\frac{1}{2}$  mile due north is a cement pillar 1 ft. high above the ground stamped C.C.S. 2040

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	
Long	648 653. 81 feet N
	65 474. 10 " E



CHRISTIANVILLE(C.C.S.2139)

This is to be found about 300 yards due east of the residential bungalow on the Christianville Estate. It is marked by an iron tripod with a concrete pillar 1 ft. above ground level vertically underneath it and is best reached from the bungalow.

Co-ordinates.

<u>Geographical</u>	<u>Colony</u>
Lat	623 280. 69 feet N
Long	110 601. 72 " E

---

COLD BATH TOWN(C.C.S. 2154)

This beacon is on the mound back of Cold-Bath Town on the Wellington- Allen Town Road. It is best reached by following a path behind the village for about one mile.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	644 340. 94 feet N
Long.	78 418. 64 " E

---

CUNGAJ(C.C.S. 2142)

This is situated at the mouth of a deep river valley some 1½ mile S.S.E of Hastings from where it is best reached. It is on a hill which forms the end of a ridge dropping abruptly down to the river and is on the south side of the valley. Below it, near the river, is a small farming fakai known as Cungai. It is marked by a concrete pillar 1 ft. above ground level.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat	615 521. 31 feet N
Long.	92 240. 55 " E

---

E.P.L. Beacon -N.E.(C.C.S.2045)

This beacon marks the N.E. corner of an E.P.L. layout and as such consists of a concrete pillar standing 1 ft. from ground level in the centre of which is placed an angle iron with a metal plate affixed to it, the top of the iron being 3 ft. 9 ins. from ground level. It is situated by the side of the Allen Town to Charlotte Road about ¼ mile from the former from which it is easily reached.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	634 226. 33 feet N
Long.	78 630. 18 " E

---



E. P. L. Beacon(C.C.S. 2046)

This beacon marks the centre of an E.P.L. layout and is similar to C.C.S.2045 except that the angle iron is 3 ft. 5½ ins. from ground level and carries two plates fixed at right angles on top. It is situated about 200 yards North of the left bank of a river which runs between Grafton and Kossch Town and about ½ mile up stream from where this river passes under the Freetown to Waterloo road. It is best reached by following up the river bank as described.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	625 835. 37 feet N
Long.	82 965. 32 " E

---

E. P. L. Beacon-S.E. (C.C.S.2047)

This beacon marks the S.E. corner of the E.P.L. line of layout and is similar to C.C.S. 2045 except that the top of the angle iron is 3 ft. 3½ ins from ground level. It is situated on the Southern slopes of a small hill(400 ft.) which overlooks Hastings on the S.W. ~~side~~ side and close to a bush track which runs S.W from that town, being about 2/3 mile out.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	621 157. 19 feet. N
Long.	87 380. 82 " E

---

GLoucester Knoll(C.C.S. 2039)

This T. P. is situated on the Southern side of the hill on which the Gloucester Cemetery is; it is best reached by going ½ a mile due E along the Nightingale Road, thence along a foot path due South for about 300 feet is a cement pillar one foot above the ground stamped C.C.S. 2039.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	647 915. 52 feet N
Long.	62 660. 73 " E

---

GRAFTON(C.C.S. 2048)

This T.P. is situated on a small hill S.W. of Grafton Village; it is best reached by following the F.P. to Charlotte about 900 ft, thence S for about a ½ a mile is the pillar C.C.S. 2048 level with the ground.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	626 838. 00 feet N
Long.	81 036. 42 " E

---



JUI (C.C.S. 2137)

This is situated in a village of the same name lying some 2½ miles to the N.E. of Kossok Town from which it is best reached by a bush track. The beacon consists of an iron tripod with a concrete pillar placed vertically underneath it, the pillar being 1 ft. above ground level.

<u>Geographical</u>	<u>Co-ordinates.</u>	<u>Colony.</u>
Lat		635 820. 56 feet N
Long.		91 797. 90 " E

---

JOHN TOP (C.C.S. 2138)

This is to be found in a village of the same name about 2 miles N.E. of Rokell from where it is best reached. The pillar is on the canoe wharf on the Bunce river where it will be reached by high tides but has been well bedded in concrete so that it is unlikely to be washed away. The pillar which is 1 ft. high stands under an iron tripod the legs of which have been let into the ground and cemented.

<u>Geographical</u>	<u>Co-ordinates.</u>	<u>Colony</u>
Lat.		630 399. 66 feet N
Long.		107 393. 18 " E

---

KORTRIGHT (C.C.S. 2038)

About 300 ft. from the centre buildings of Kortright due South, along the road to Leicester Village on the left also about 30 ft. from the last latrine building to the direction of the above road is a cement pillar 1 ft above ground stamped C.C.S. 2038.

<u>Geographical</u>	<u>Co-ordinates.</u>	<u>Colony.</u>
Lat.		658 069. 82 feet N
Long.		60 571. 13 " E

---

KOSSOK FLATS (C.C.S. 2044)

This T.P. is situated on the grass field back of Kossok Town Church about 200 ft. S.W. from the Church is C.C.S. 2044 level with the ground.

<u>Geographical</u>	<u>Co-ordinates.</u>	<u>Colony</u>
Lat.		626 249. 98 feet N
Long.		85 201. 92 " E

---



KISSY STATION (C.C.S. 2149)

This beacon is situated on the grass field opposite the Kissy Station about 1000 ft.

Co-ordinates.

Geographical

Colony

Lat. 658 879. 62 feet N  
Long. 69 650. 08 " E

---

KISSY SPUR (C.C.S. 2150)

This beacon is situated on the Kissy Spur on the range of hills between Kissy Brook and Wellington Brook. It overlooks the entrance of Kissy Village. It is best reached by following a path behind the Post Office for about  $\frac{1}{2}$  mile.

Co-ordinates.

Geographical

Colony.

Lat. 657 833. 16 feet N  
Long. 65 580. 60 " E

---

MARCON (C.C.S. 2043)

This T.P. is situated on a hill on the right of Hastings Village near the river Maroon. It is best reached by following the foot path over the mountains or from the Motor road through the farms. It is 1 ft. above ground level.

Co-ordinates.

Geographical

Colony.

Lat. 622 244. 06 feet N  
Long. 86 988. 91 " E

---

ORUGU (C.C.S. 2135)

This beacon is concrete pillar 1 ft from ground level. It is the highest part of a foothill formation running N.W. to S.E. about 1 mile due West of Grafton, and is at the Northern end overlooking the lower portion of the Orugu River valley. It is best reached by following a bush track in that direction from Grafton which leads past the foot of the hill in question.

Co-ordinates.

Geographical

Colony.

Lat. 629 693. 99 feet N  
Long. 76 824. 88 " E

---



OLD TOWN T.P. (C.C.S 2146)

The fakai of Old Town lies to the right or East of the Motor road some  $\frac{1}{2}$  mile N.W. of Waterloo on a stretch of land which juts out into the mangrove swamps bordering on the left bank of Waterloo Creek, and it is on the edge of this area close to the swamp that this point is to be found. The pillar is built on an old snf heap and is 1 ft. above ground level.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	613 140. 71 feet
Long	113 442. 00 "

---

ROKELL C.C.S. 2136

This is to be found on a small hill between the road and railway from Freetown about  $\frac{1}{2}$  mile to the W.N.W of the Village of Rokell. It is built on a rock a concrete pillar 1 ft. above ground level and approximately in the centre of the hill which is flat topped. It is best reached from the road by following the line of the hill.

Co-ordinates.

<u>GEOGRAPHICAL</u>	<u>COLONY.</u>
Lat. * 8° 23' 25.521	625 997.83 feet N
Long. -13° 06' 33.442	99 136.40 " E

---

RAILROAD (C.C.S.2140)

This is situated on the main road mid-way between Waterloo and Rokell. It lies close to the road and the railway being between them and is about  $\frac{1}{2}$  mile from the first level crossing when proceeding from Rokell to Waterloo. It is marked by an iron tripod with a concrete pillar 1 ft above ground level vertically underneath it.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	617 921. 75 feet N
Long.	108 037. 34 " E

---

RAILROAD(WELLINGTON C.C.S. 2152)

By following the stream called Danson Water which is midway between Kissy and Wellington, downwards till you meet the railway line, thence for about 600 ft downwards is the pillar C.C.S 2152.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat.	654 698. 28 feet N
Long.	75 261. 12 " E

---



RAILROAD (C.C.S. 2153)

This beacon is on a road to a fishing village called Old Wharf which belongs to Wellington Village, it is best reached by following the Railway line from Wellington till you get to the 7 mile stone and about 1000 ft. more on the left is the beacon C.C.S. 2153.

Co-ordinates.

Geographical

Colony.

Lat.	647 810. 13 feet N
Long.	80 152. 83 " E

---

SPIKE HILL (C.C.S. 2041)

On the main road from Allen Town to Kola Town about the middle on your left is a hill of about 1000 ft where this T.P. is situated, it can be reached by following a foot path in the middle of Upper Allen Town for about 2/3 mile; it is one foot high above the ground stamped C.C.S. 2041.

Co-ordinates.

Geographical

Colony.

Lat.	658 386. 93 feet N
Lon.	77 742. 80 " E

---

WELLINGTON KNOLL (C.C.S. 2148)

This beacon is situated on a knoll south of the Kissy-Wellington road about 1/2 mile from Wellington brook to Wellington; it is best reached by following a track behind the farm houses which is on the main road about 1/2 mile from the brook. It is 1 ft. high above the ground stamped C.C.S. 2148.

Co-ordinates.

Geographical

Colony.

Lat.	655 055. 10 feet N
Long.	71 430. 15 " E

---

WELLINGTON SPUR (C.C.S. 2151)

On a well defined point on the range of hills running S.W. of the Wellington-Kissy road is a pillar C.C.S. 2151, it is best reached by following a stream called Damson Water which is about half way between Kissy and Wellington on a foot path for about 2 miles.

Co-ordinates.

Geographical

Colony.

Lat.	649 353. 32 feet N
Long.	70 163. 22 " E

---



G.O.S. 2145

About a quarter of a mile after crossing over the Railway line for the first time, on leaving Waterloo, there is a small village known as Lokko Fakai and leading off to the right or east is a well defined bush track. This track leads to a concrete wharf on a creek which runs into the main Bunce River and on the right bank of this creek just where the swamp begins is the point with the pillar 1 ft. above ground level, built on the top of a disused ant heap.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat	620 591. 56 feet N
Long	112 892. 58 " E

---

C. C. S. 2147

A well defined ridge runs directly eastwards from the main point of Tower Hill, N.W. of Waterloo, and falls away towards the railway line and motor road. There is a pronounced shelf after it leaves the foot of Tower Hill ridge and it is on the edge of this shelf, just before it begins to fall away more steeply that this point is situated. It is built on an old ant heap and the concrete pillar is 1 ft above ground level. A feature of the ridge is a topless palm which is easily picked out and the pillar some 75 yards N.W.W of this.

Co-ordinates.

<u>Geographical</u>	<u>Colony.</u>
Lat. + 8° 20' 52.532	610 545. 39 feet N
Long.- 13° 04' 51.504	109 328. 81 " E

---

SODERICH POINT T. P. C.O.S. 2019

DESCRIPTION.

In the center of the point towards its extremity in a piece of waste land between two cassava plots. It lies 209 ft 8 ins. on a magnetic bearing of 243° 30' from a tall topless palm tree which is a conspicuous land mark on the point. It is reached by following the village street in the direction of the point and thence by a small path through the cassava bed.

Colony Co-ordinates.	644 358. 75 feet N
	53 436. 13 " E

---

CAPE T. P. C. C. S. 2020

This lies on the most westerly part of False Cape within 60 ft. of the sea on the west side. It stands on an old ant hill and on the eastern side is a small space of an about an acre covered with rocks and grass there being no bush growth there. It is best reached by following the coast line from the village of Soderich in a southerly direction and then striking in to the T. P. from the extremity of the cape and there is no definite back track to it.

Colony Co-ordinates.	639 743. 47ft. N.
	32 895 4 ft. E.

---



BANGO HILL BEACON C.C.S. 2023 (This point has been removed)

This stands on the most westerly of a group of three small hills (about 50 ft) about 1½ miles due south of Goderich village overlooking on the North side over extensive cassava fields. The top of the hill is strewn with large boulders but the beacon is set in earth. A line joining this beacon and Goderich Point. Beacon if extended North passes through the wreck lying off Aberdeen Point. It is best reached by following a bush path running due south from Goderich.

Colony Co-ordinates.            639 120.55 ft N  
    34 959.89 " E

---

LUMLEY KNOLL T.P. C.C.S. 2021

DESCRIPTION

This is situated on a ridge which runs S.E. from Lumley rising in the end to Tail Hill. The Hill Station to Adonkia road crosses this ridge the T.P. being about ½ mile from the road in a N.W. westerly direction and it is best reached by following the top of the ridge from this road.

Colony Co-ordinates            648 230. 66 feet N  
    41 561. 8 " E

---

BABADORI T. P. C.C.S. 2022

This is to be found on a very small ridge immediately N of the Babadori River just after it passes under the Hill Station to Adonkia Road. It is 150 feet from a small palm grove with a tin hut in it on its W. side, and is best reached by taking a small bush track which branches off to the right just before the river is crossed when coming from Hill Station to Adonkia. About 200 yards along this track turn right again up to the hut in the palm grove from where the T.P. can be reached.

Colony Co-ordinates            648 740. 00 feet N.  
    44 265. 72 " E.

---

Ogue Hill T. P. C.C.S. 2024

This situated on the highest point of a hill immediately to the S.E. of the small village of Ogue from which it is reached by going up through the bush there being no track leading to it. It is set on rock and the hill has not been cleared entirely but lines out to the various T.P.'s.

Colony Co-ordinates.            630 881. 17 feet N.  
    45 104. 89 " E.

---



ANGOLA HILL T. P. C.C.S. 2025

DESCRIPTION

Situated on a sharply rising knoll about  $\frac{1}{2}$  mile to the N.E. of Angola Village and within 50 feet of the forest boundary. It is set on a large rock which is the highest point on the hill. It is best reached by following a bush track to the right from the Adonkia to Hill Station Road  $\frac{1}{2}$  mile N. of Adonkia and then taking a fork to the left 200 yards. After passing through a few native huts.

Colony Co-ordinates. 635 513. 39 feet N.  
47 392. 78 " E.

---

BEACH T. P. C.C.S. 2027

This point is situated on the beach about 10 feet above High Water Mark and one mile N.N.E. of Lakka from where it is best reached by following the coast line.

Colony Co-ordinates. 634 496. 00 feet N.  
39 631. 82 " E.

---

LAKKA ISLAND T. P. C.C.S. 2026

This is to be found on a small Island or Promontory immediately W. of Lakka from which Village it can easily be reached. It is set on rock of which the Island chiefly consists.

Colony Co-ordinates. 630 402. 10 feet N.  
41 244. 49 " E.

---

KAUSEE T.P. C.C.S. 2028

This is situated on an ant hill on some high ground about  $\frac{1}{2}$  mile to the S.E. of the village of Hamilton from where it is reached by following a bush track in the required direction where the T. P. will be found lying some 50 yards from the track at  $\frac{1}{2}$  mile distance.

<u>Geographical.</u>	<u>Colony Co-ordinates.</u>
Lat. 8° 23' 12.49	624 844.50 feet N
Long. 13° 15' 23.15	45 952.30 " E

---

SUSSEX RIVER T.P. C.C.S. 2029

DESCRIPTION.

There is to be found about  $1\frac{1}{2}$  miles due N. of Sussex on a isolated small hill overlooking the Sussex River swamps to the West and is placed on an old ant hill. It is best reached by following a bush track in a northerly direction out of Sussex for the  $1\frac{1}{2}$  miles when the hill may be easily identified on the left.

Colony Co-ordinates. 617 647. 09 feet N.  
53 877. 23 " E.

---



SUSSEX HILL T.P. C.C.S. 2030

This point is situated on a hill which rises steeply from the valley about  $\frac{1}{2}$  mile to the N.E. of Sussex and then runs on in the form of a ridge to the main mountain system in the interior. It is best reached ~~by a back track~~ by a back track running N.E. out of Sussex which runs along the foot of the hill where another track will be found leading to the top where the T. P. is situated.

<u>Geographical</u>	<u>Colony Co-ordinates.</u>
Lat. +8° 21' 23.09	613 781. 52 feet N
Long. -13° 13' 35.08	56 768. 37 " E

---

C. C. S. 2031

This point is to be found on the same ridge about  $\frac{1}{2}$  mile further to the N.E. on a small hill which rises slightly from the general height of the ridge. It is best reached from the Sussex hill T. P. by proceeding up the ridge on to a bush track and taking the left fork when about  $\frac{1}{2}$  mile on the way.

<u>Colony Co-ordinates.</u>	616 175. 51 feet N
	58 431. 04 " E

---

NO. 2 KNOLL T.P. C.C.S. 2032

DESCRIPTION

This is to be found on a knoll  $\frac{1}{2}$  mile to the N.W. of No.2 Village forming the end of a small ridge which runs away to the N.E. It is best reached by a bush track leading E. from the Bawbaw to No. 2 road about  $\frac{1}{2}$  mile from the latter and then by climbing the hill from the track which runs round the foot.

<u>Colony Co-ordinates.</u>	610 164. 29 feet N
	62 863. 14 " E

---

BAWBAW ROCK T.P. C.C.S. 2034

Situated on the end of ~~the~~ ridge which drops steeply to the valley at its W. end and  $\frac{1}{2}$  miles to the N.E. of Bawbaw Village. It can be easily recognised from the road by a large overhanging black rock at its extremity. It is best reached by following a bush track leading N.E. from Bawbaw which leads past the foot of the hill.

<u>Colony Co-ordinates.</u>	614 083. 68 feet N.
	64 916. 89 " E.

---

C. C. S. 2033

Situated on a small knoll on the same ridge as No.2 knoll T.P. and just before that ridge is crossed by the forest boundary line. It can best be reached by following a bush track N.E. from Bawbaw which runs right up to the forest boundary from which it can easily be reached.

<u>Colony Co-ordinates.</u>	613 226. 75 ft. N
	64 232. 02 " E

---



NO. 2 HILL T.P. C.C.S. 2035

This is to be found on a peak (800 ft) which rises steeply from the coastal plain  $\frac{1}{4}$  mile to the N.W. of the Village of No. 2 from where it is best reached by following a bush track to the foot of the peak and then making the ascent.

Geographical

Lat.  $8^{\circ} 20' 59.54$   
Long.  $13^{\circ} 12' 04.52$

Colony Co-ordinates.

611 378. 91 feet N.  
63 854. 83 " E

NO. 2 RIVER VALLEY T.P. C.C.S. 2036

DESCRIPTION.

This is to be found on a small hill in the Eastern part of the No.2 River Valley and is best reached by following a bush track from Tokeh which runs up that side of the valley. The track crosses a small river running W. to join the main river and  $\frac{1}{2}$  mile further on it crosses grass field having come out of small bush.

The hill in question will then be seen on the right some 400 yards from the track.

Colony Co-ordinates.

607 544. 93  
75 107. 87

No. 2 Ferry Hill T.P. C.C.S. 2037.

This is built on the peak of a large hill (800 ft) which rises steeply from the coastal plain on the West and is  $1\frac{1}{2}$  miles due S.E. from the No. 2 River mouth. It is best reached at the moment by following the lines cut for the mine area which ran over the shoulder of the hill on the North side and thence through the bush to the highest point of the hill.

Geographical

Lat.  $8^{\circ} 19' 30.29$   
Long.  $13^{\circ} 10' 59.37$

Colony Co-ordinates.

602 361. 57 feet N  
72 368. 30 " E

JOHN OBEY KNOLL T.P. C.C.S. 2111

This erected on a small knoll (400 ft.) three quarters of a mile due east of the village of John Obey from which village it is best reached by following a bush track in the required direction and then taking to the bush when opposite the hill in question.

NS. Co-ordinates.

C. C. S. T.1

DESCRIPTION.

*Lumley* This point was used as the starting point of a traverse from ~~here~~ to Toke and was originally fixed by triangulation but was also tied on to the minor triangulation

Colony Co-ordinates.

643 643. 04 feet N.  
38 402. 36 " E

C.C.S. 1247 that was made

This is a point on a traverse from Lumley to Toke

Colony Co-ordinates

605 312. 81 feet N.  
66 207. 45 " E



G.S.S. 953

This is a point on a traverse from Lunley to Toke

Colony Co-ordinates.      618 737. 36 feet N  
   49 098. 42 "    E

---

F. R. 13

Description.

This point No. 13 on the Colony Forest Reserve Boundary. It was originally marked by a stone cairn but has been replaced by a concrete pillar 9 ins square standing 1 ft. above ground level and having a brass centre pin.

Colony Co-ordinates.      621 815.04 feet N  
   55 479.52 "    E

---

C. C. S. 1710

This point is a boundary beacon in the survey of Platinum E.P.L

Colony Co-ordinates.      626 150. 8 feet N  
   50 607. 4 "    E

---

F. R. 11

This beacon No. 11 on the Colony Forest Reserve Boundary. It was originally marked by a stone cairn but was replaced by a concrete pillar 1 ft. square standing 1 ft. above ground level with a brass centre pin and on the top of it is marked S. L.S. F.R. 11.

Colony Co-ordinates.      613 521. 84 feet N.  
   61 979. 11 "    E

---



The following have no description.

Colony Co-ordinates.

<u>Station</u>	<u>N.</u>	<u>E.</u>
Bathurst T.P. (C.C.S. 3701)	640 603.13	63 063. 77
Bathurst Falls (C.C.S. 3702)	638 431.56	64 911. 94
F.H. 17 (C.C.S.)	642 954.63	57 446. 74
F.R. 18	639 570.13	61 480. 93
F.R. 20	626 458.60	76 757. 69
F.R. 21	620 083.19	81 224. 04
F.R. 22	617 265.95	89 084. 01
F.R. 23	613 253.97	95 025. 81
Gloucester Hill (C.C.S. 3703)	647 383.32	62 965. 73
Kissy Church	655 226.67	68 944. 96
Kissy Oil Tank	660 535.35	71 510. 92
Porcupine Ridge	644 147.03	71 246. 37
F.R. 16	642 487.34	56 227. 52
C.C.S. 1300	608 277.92	111 680. 45
C.C.S. 1450	660 172.68	64 747. 02
C.C.S. 2810	660 753.99	60 934. 01
C.C.S. 2811	658 942.01	61 801. 76
C.C.S. 3689	645 516.59	57 735. 14
C.C.S. 6368	637 039.13	106 937. 88
Road T.P.	658 327.03	44 445. 51
Mt. Aureol	661 047.52	58 320. 05
C.C.S. 301	599 605.73	67 921. 76
C.C.S. 320	589 051.92	71 893. 16
C.C.S. 212	594 343.12	72 301. 22
C.C.S. 225	593 516.08	73 997. 87
C.C.S. 321	593 863.88	76 158. 94
C.C.S. 322	594 831.06	78 820. 34
C.C.S. 317	600 775.77	73 112. 35
C.C.S. 286	599 421.77	75 537. 78
C.C.S. 326	599 137.67	80 340.95
C.C.S. 319	595 655.97	82 082. 59
C.C.S. 305	589 883.82	85 857. 61
C.C.S. 306	594 175.02	86 611. 84



C.C.S. 324

C.C.S. 331

C.C.S. 304

C.C.S. 214

C.C.S. 323

C.C.S. 213

596 989. 86

593 394. 46

588 282. 47

591 545. 66

590 249. 04

592 418. 25

81 863. 48

82 736. 12

83 342. 24

78 891. 30

74 823. 76

73 972. 77